



Competitor:

Technical Judge:

Part I - Station Evaluation At Start-Up

0 to 6		Clean working area at start-up/Clean cloths
6	/6	

Part II - Espresso Evaluation

0 to 6	Yes	No	Technical Skills	<input type="text"/>	SHOT
	<input type="checkbox"/>	<input type="checkbox"/>	Flushes the grouphead	<input type="text"/>	Time <input type="text"/>
	<input type="checkbox"/>	<input type="checkbox"/>	Dry/clean filter basket before dosing	<input type="text"/>	Waste <input type="text"/>
	<input type="checkbox"/>	<input type="checkbox"/>	Acceptable spill/waste when dosing/grinding	<input type="text"/>	g
	<input type="checkbox"/>	<input type="checkbox"/>	Acceptable/level dosing and tamping		
	<input type="checkbox"/>	<input type="checkbox"/>	Cleans portafilters (before insert)		
	<input type="checkbox"/>	<input type="checkbox"/>	Insert and immediate brew		
11	/6	/5			

Part III - Milk Beverage Evaluation

0 to 6	Yes	No	Technical Skills	<input type="text"/>	SHOT 1
	<input type="checkbox"/>	<input type="checkbox"/>	Flushes the group head	<input type="text"/>	Time <input type="text"/>
	<input type="checkbox"/>	<input type="checkbox"/>	Dry/clean filter basket before dosing	<input type="text"/>	Waste <input type="text"/>
	<input type="checkbox"/>	<input type="checkbox"/>	Acceptable spill/waste when dosing/grinding	<input type="text"/>	g
	<input type="checkbox"/>	<input type="checkbox"/>	Acceptable/level dosing and tamping		
	<input type="checkbox"/>	<input type="checkbox"/>	Cleans portafilters (before insert)		
	<input type="checkbox"/>	<input type="checkbox"/>	Insert and immediate brew		
			Milk		MILK <input type="text"/> ml/oz
	<input type="checkbox"/>	<input type="checkbox"/>	Empty/clean pitcher at start		
	<input type="checkbox"/>	<input type="checkbox"/>	Purges the steam wand before steaming		
	<input type="checkbox"/>	<input type="checkbox"/>	Cleans steam wand after steaming		
	<input type="checkbox"/>	<input type="checkbox"/>	Purges the steam wand after steaming		
	<input type="checkbox"/>	<input type="checkbox"/>	Acceptable milk waste at end		
16	/6	/10			

Part IV - Technical Evaluation

0 to 6	Yes	No	Station management/Clean working area at end
	<input type="checkbox"/>	<input type="checkbox"/>	Clean portafilter spouts/
	<input type="checkbox"/>	<input type="checkbox"/>	Avoided placing spouts in doser chamber
	<input type="checkbox"/>	<input type="checkbox"/>	General hygiene throughout presentation
	<input type="checkbox"/>	<input type="checkbox"/>	Proper usage of cloths
9	/6	/3	

Technical Score
(Total of this score sheet)

Out of 42

Evaluation Scale:

Yes = 1 No = 0

Unacceptable = 0 Acceptable = 1 Average = 2 Good = 3 Very Good = 4 Excellent = 5 Extraordinary = 6

0g = 6 1g = 5 2g = 4 3g = 3 4g = 2 5g = 1 5+g = 0